




ISO-9001:2015



ISO-9001:2015




MODEL	A	B	C	D	E	F	G	N.W.
MQL-225-350	200	350	68	35	150	100	100	23kg
MQL-225-400	200	400	68	35	200	100	100	27kg
MQL-235-550	200	550	83	40	270	120	150	42kg




MODEL	A	B	C	D	E	N.W.
HQ-400-MQL	400	350	200	175	63	48kg
HQ-500-MQL	500	450	200	250	78	98kg



ISO-9001:2015

ZERO-POINT-SYSTEMS









ISO-9001:2015




MODEL	A	B	C	D	E	F
HQL-300	300	150	500	300	175	100
HQL-400	400	200	50	400	200	150




MODEL	A	B	C	D	E	F	G
HQL-300-2	300	150	50	500	175	100	200
HQL-400-2	400	200	50	600	200	150	250




MODEL	A	B	C	D	E
MQL-96AT-1-4	400	230	50	96	245
MQL-52AT-1-4	300	180	50	75	200



MODEL	A	B	C	D	E	F
MQL-96AT-2-4	500	250	50	96	192	434
MQL-52AT-2-4	400	210	50	75	150	305



MODEL	A	B	C	D	E
MQL-96AQ	220	27	96	150	100
MQL-52AQ	180	27	52	100	50



MODEL	A	B	C	D	E	F	N.W.
MQL-96A	192	156	96	150	100	27	6kg
MQL-52A	150	116	52	100	50	27	3.5kg